1
If "A" denotes "added to", "B" denotes "divided by", "C" denotes "multiplied by" and "D" denotes
"subtracted from", then 87 B 3 C 4 A 4 D 50 = ?
(A)
65
(B)
75
(C)
70
(D)
80
Answer:(C)
Answer:(C)
Answer:(C) 2
2
2 In a certain code language "feel free to fly" = "4l 4e 2o 3y". "Why the statement" = "3y 3e 9t" then
2 In a certain code language "feel free to fly" = "4l 4e 2o 3y". "Why the statement" = "3y 3e 9t" then
In a certain code language "feel free to fly" = "4l 4e 2o 3y". "Why the statement" = "3y 3e 9t" then "Media" is coded as
In a certain code language "feel free to fly" = "4l 4e 2o 3y". "Why the statement" = "3y 3e 9t" then "Media" is coded as (A)
In a certain code language "feel free to fly" = "4l 4e 2o 3y". "Why the statement" = "3y 3e 9t" then "Media" is coded as (A) 5m
In a certain code language "feel free to fly" = "4l 4e 2o 3y". "Why the statement" = "3y 3e 9t" then "Media" is coded as (A) 5m (B)

```
4
(C)
3
(D)
8
Answer:(C)
5
If 11 # 2 @ 6 = 78 and 15 # 4 @ 8 = 152, then 17 # 6 @ 7 = ?
(A)
161
(B)
143
(C)
221
(D)
157
Answer:(A)
6
"A series is given with one term missing. Choose the correct alternative from the given ones that will
complete the series. MN, PQ, TU, YZ, ?"
```

(A)

YZ
(B)
AB
(C)
EF
(D)
EJ
Answer:(C)
7
In the following question, select the odd word pair from the given alternatives.
(A)
Zinc – Metal
(B)
Aluminum – Metal
(C)
Crocodile – Water
(D)
Gold – Metal
Answer:(C)
8
"Select the related number from the given alternatives.

97:63::67:?"

(A)
38
(B)
56
(C)
42
(D)
45
Answer:(C)
9
Jayesh is facing towards the east. He turns 270 degrees clockwise and then takes a right turn. Finally, he
turns 90 degrees anticlockwise. Which direction is he facing now?
(A)
West
(B)
South
(C)
North
(D)
East
Answer:(C)

1	\sim

10 "Which set of letters when sequentially placed at the gaps in the given letter series shall complete it? p_rt_rr_p_rt" (A) rptr (B) rrtp (C) ptrr (D) tprt Answer:(A) 11 In the following question, select the odd number pair from the given alternatives. (A)

17 – 12

(B)

29 – 14

(C)

21 – 16

(D)

Answer:(B)

12

"S, R, N, L, M, T, O, & P are eight persons sitting in a circle facing the center. Their different occupations are-reporter, doctor, cricketer, teacher, accountant, shopkeeper, painter & Supervisor, but not necessarily in the same order as given.

M is third to the left of O. Doctor is at the immediate right of M & M is not a reporter. R is fourth to the right of P. None of R & P are the nearest neighbours of M.T is a teacher & sitting third to the right of doctor. A shopkeeper is sitting second to the left of the teacher. Painter is sitting second to the left of M. Cricketer S is sitting exactly between T & P. Accountant is sitting second to the right of a cricketer. N is third to the left of T.

Who form the following is a reporter?"

(A)

0

(B)

L

(C)

Ν

(D)

R

Answer:(A)

"S, R, N, L, M, T, O, & P are eight persons sitting in a circle facing the center. Their different occupations are-reporter, doctor, cricketer, teacher, accountant, shopkeeper, painter & Supervisor, but not necessarily in the same order as given.

M is third to the left of O. Doctor is at the immediate right of M & M is not a reporter. R is fourth to the right of P. None of R & P are the nearest neighbours of M.T is a teacher & sitting third to the right of doctor. A shopkeeper is sitting second to the left of the teacher. Painter is sitting second to the left of M. Cricketer S is sitting exactly between T & P. Accountant is sitting second to the right of a cricketer. N is third to the left of T.

What is the position of S regarding R?"

(A)

Third to the right

(B)

Second to the right

(C)

Third to the left

(D)

Second to the left

Answer:(A)

14

"S, R, N, L, M, T, O, & P are eight persons sitting in a circle facing the center. Their different occupations are-reporter, doctor, cricketer, teacher, accountant, shopkeeper, painter & Supervisor, but not necessarily in the same order as given.

M is third to the left of O. Doctor is at the immediate right of M & M is not a reporter. R is fourth to the right of P. None of R & P are the nearest neighbours of M.T is a teacher & sitting third to the right of doctor. A shopkeeper is sitting second to the left of the teacher. Painter is sitting second to the left of M. Cricketer S is sitting exactly between T & P. Accountant is sitting second to the right of a cricketer. N is third to the left of T.

If we count in the anti-clockwise direction starting from N; then how many persons are sitting between P & N?"

(A)

One

(B)

Two

(C)

Three

(D)

Four

Answer:(D)

"S, R, N, L, M, T, O, & P are eight persons sitting in a circle facing the center. Their different occupations are-reporter, doctor, cricketer, teacher, accountant, shopkeeper, painter & Supervisor, but not necessarily in the same order as given.

M is third to the left of O. Doctor is at the immediate right of M & M is not a reporter. R is fourth to the right of P. None of R & P are the nearest neighbours of M.T is a teacher & sitting third to the right of doctor. A shopkeeper is sitting second to the left of the teacher. Painter is sitting second to the left of M. Cricketer S is sitting exactly between T & P. Accountant is sitting second to the right of a cricketer. N is third to the left of T.

As per the position mentioned above; four of the following pairs are alike & so they form their group. Which one does not belong to this group?"

(A)

Teacher-Painter

(B)

Supervisor – Shopkeeper

(C)

Cricketer – Reporter

(D)

Shopkeeper – Doctor

Answer:(D)

16

Where is Salar Jung Museum located?

(A)

Patna
(B)
New Delhi
(C)
Hyderabad
(D)
Lucknow
Answer:(C)
17
Who is the UN Secretary-General(since 1st January 2017)?
(A)
Antonio Guterres
(B)
Marathon Mania
(C)
Trump
(D)
Bush
Answer:(A)
18

What is the full form of ESA?

(A)
European Space Agency
(B)
European seculars agency
(C)
East Space Agency
(D)
Earth Space Agency
Answer:(A)
19
How many public institution banks are there in India?
(A)
27
(B)
29
(C)
25
(D)
none
Answer:(A)
20

Does the bank provide?

(A)
Central Services
(B)
Direct Services
(C)
Financial Services
(D)
none
Answer:(C)
21
When was the Reserve Bank of India established?
(A)
1-Apr-1935
(B)
25-Mar-1947
(C)
17-Dec-1937
(D)
none
Answer:(A)

Where is the headquarters of the Reserve Bank of India?

(A)
Nagpur
(B)
Delhi
(C)
Mumbai
(D)
Bhopal
Answer:(C)
23
When did the Reserve Bank of India nationalize?
(A)
2-Sep-1950
(B)
19-Mar-1947
(C)
1-Jan-1949
(D)
26-Jan-1950
Answer:(C)
24
What is the bank rate of the Reserve Bank of India?
(A)

6%
(B)
7.75%
(C)
7%
(D)
5%
Answer:(B)
25
When was the Bharatiya Mahila Bank established?
(A)
19-Nov-2013
(B)
15-Aug-2014
(C)
26-Jan-2013
(D)
none
Answer:(A)
26
After how many years Palestine is ready to hold its first national election in the year 2021?
(A)

10 years
(B)
25 years
(C)
20 years
(D)
14 years
Answer:(D)
27
Recently which country successfully test-fired the supersonic cruise missile BrahMos?
(A)
India
(B)
Nepal
(C)
Pakistan
(D)
Bangladesh
Answer:(A)
28
When was the "National Vayoshri Yojana" launched?
(A)

1-Apr-2016
(B)
1-Jul-2016
(C)
1-Jul-2017
(D)
1-Apr-2017
Answer:(D)
29
Where has Nirav Modi, who cheated Punjab National Bank, been arrested?
(A)
London
(B)
Hungary
(C)
Spain
(D)
Portugal
Answer:(A)
30
The United Nations Security Council has imposed new comprehensive international sanctions on which
country in March 2016?

(A)
Pakistan
(B)
China
(C)
North Korea
(D)
South Korea
Answer:(C)
31
The International Day for the Eradication of Poverty is observed on which of the following days?
(A)
10-Jan
(B)
(B) 12-Mar
12-Mar
12-Mar (C)
12-Mar (C) 15-Apr

Dogri language is spoken in which Indian territory?
(A)
Puducherry
(B)
Jammu and Kashmir Province
(C)
Nagaland
(D)
Andaman and Nicobar Islands
Answer:(B)
33
Which of the following organizations is a publication of 'World Development Report'?
(A)
International Monetary Fund
(B)
World Trade Organization
(C)
World Bank
(D)
UNCTAD
Answer:(C)

Where is the headquarters of the World Bank?

(A)	
Washington DC	
(B)	
Geneva	
(C)	
The Hague	
(D)	
Paris	
Answer:(A)	
35	
Recently, where was the 15 thousand square feet Rangoli made?)
(A)	
Gujarat	
(B)	
Mumbai	
(C)	
Bangalore	
(D)	
Trivandrum	
Answer:(B)	
36	
Study of chemical kinetics is the easiest in the case of	reactions.

(A)
Irreversible
(B)
Reversible
(C)
Surface
(D)
Side
Answer:(A)
37
The catalyst in a first order chemical reaction changes the
(A)
Equilibrium constant
(B)
Activation energy
(C)
Heat of formation of the product
(D)
Heat of reaction
Answer:(B)

Limiting reactant in a chemical reaction decides the

(A)
Rate constant
(B)
Conversion
(C)
Reaction speed
(D)
Equilibrium constant
Answer:(B)
39
In an exothermic chemical reaction, the reactants compared to the products have
(A)
Higher temperature
(B)
More energy
(C)
Less energy
(D)
Same energy
Answer:(B)

An isothermal aqueous phase reversible reaction, $P \leftrightharpoons R$, is to be carried out in a mixed flow reactor. The
reaction rate in k.mole/ m^3 .h is given by, $r = 0.5$ CP - 0.125CR. A stream containing only P enters the
(A)
0.8
(B)
1.33
(C)
1.6
(D)
2.67
Answer:(C)
41
According to the 'law of mass action', the rate of reaction is directly proportional to the
(A)
Equilibrium constant
(B)
Volume of the reaction vessel
(C)
Nature of the reactants
(D)
Molar concentration of the reactants
Answer:(D)

42
For an ideal mixed flow reactor (CSTR), the exit age distribution E(t) is given by
(A)
A dirac delta function
(B)
A step function
(C)
A ramp function
(D)
None of all mentioned
Answer:(D)
43
Mean residence time is equal to the space time, when
(A)
The feed rate is measured at temperature and pressure in the reactor
(B)
The temperature, pressure and the density of reaction mixture remains constant throughout the reactor
(C)
There is no change in number of moles in gaseous reaction
(D)
All of the mentioned
Answer:(D)

A space time of 3 hours for a flow reactor means that
(A)
The time required to process one reactor volume of feed (measured at specified conditions) is 3 hours
(B)
Three reactor volumes of feed can be processed every hour
(C)
It takes three hours to dump the entire volume of the reactor with feed
(D)
Conversion is cent per cent after three hours
Answer:(A)
45
Which of the following will give maximum gas conversion?
Which of the following will give maximum gas conversion?
Which of the following will give maximum gas conversion? (A)
Which of the following will give maximum gas conversion? (A) Fixed bed reactor
Which of the following will give maximum gas conversion? (A) Fixed bed reactor (B)
Which of the following will give maximum gas conversion? (A) Fixed bed reactor (B) Fluidized bed reactor
Which of the following will give maximum gas conversion? (A) Fixed bed reactor (B) Fluidized bed reactor (C)
Which of the following will give maximum gas conversion? (A) Fixed bed reactor (B) Fluidized bed reactor (C) Semi-fluidized bed reactor

46
For the same residence time, which one will give the maximum conversion?
(A)
Single stirred tank (v = 5 litres)
(B)
Two stirred tank (each of 2.5 litres) in series
(C)
Stirred tank followed by tubular flow reactor (each of 2.5 litres)
(D)
Single tubular flow reactor (v = 5 litres)
Answer:(A)
47
The catalyst used in the manufacture of sulphuric acid by contact process is
(A)
iron
(B)
aluminium oxide
(C)
nickel
(D)
vanadium pentoxide
Answer:(D)


48
Sulphuric acid produced by contact process is
(A)
cheaper
(B)
pure and concentrated
(C)
of poor quality
(D)
very dilute
Answer:(B)
49
When sulphur dioxide is passed through a solution of hydrogen sulphide in water
(A)
A sulphuric acid is formed in solution
(B)
sulphurous acid is formed in solution
(C)
sulphur is precipitated
(D)
no change is observed
Answer:(C)

The allotrope of sulphur which is insoluble in carbon disulphide is
(A)
monoclinic suphur
(B)
rhombic sulphur
(C)
milk of sulphur
(D)
plastic sulphur
Answer:(D)
51
The form of sulphur which is the most stable at ordinary temperature is
(A)
Monoclinic
(B)
plastic
(C)
rhombic
(D)
flowers of sulphur
Answer:(C)

52
Select the correct statement
(A)
Electrolysis cell uses exothermic reactions to produce electrical energy
(B)
In the electrolysis cell the positive current flows from the positive electrode to the negative electrode
outside the cell
(C)
Electrolysis cell uses electrical energy to produce endothermic chemical changes
(D)
In the electrolysis cell the positive current flows from the negative electrode to the positive electrode
inside the cell
Answer:(C)
Answer:(C)
Answer:(C) 53
53
53 The degree of ionisation does not depend upon
The degree of ionisation does not depend upon (A)
The degree of ionisation does not depend upon (A) nature of solvent
The degree of ionisation does not depend upon (A) nature of solvent (B)
The degree of ionisation does not depend upon (A) nature of solvent (B) nature of solute
The degree of ionisation does not depend upon (A) nature of solvent (B) nature of solute (C)

Answer:(D)
54
When the same quantity of electricity is passed through different solutions the amounts of different
substances produced are proportional to
(A)
their atomic weight
(B)
their molecular weight
(C)
their equivalent weight
(D)
the square of their equivalent weight
Answer:(C)
55
The quantity of electricity required to deposit one gram equivalent of any substance is
(A)
one coulomb
(B)
one faraday
(C)
one ampere

(D)
one microfaraday
Answer:(B)
56
The percentage by volume of argon in the air is about
(A)
2.97%
(B)
0.94%
(C)
0.01%
(D)
0.00%
Answer:(B)
57
Nitrogen gas is used
(A)
as protective atmosphere to prevent oxidation in metal working and food preservation
(B)
for welding
(C)
for cutting of metals




(C)
20/81
(D)
40/81
Answer:(B)
62
Two cards are drawn at random and without replacement from a pack of 52 playing cards. Find the
probability that both the cards are black ?
(A)
7/109
(B)
6/109
(C)
10/102
(D)
25/102
Answer:(D)
63
A die is tossed thrice. Find the probability of getting an odd number at least once ?
(A)
7/5

(B)
6/5
(C)
7/8
(D)
2/8
Answer:(C)
64
Laplace transform of the unit impulse function $\delta(t\!-\!a)$ is :
(A)
e–as
(B)
eas
(C)
e-t
(D)
None of these
Answer:(A)
65
L [eat] is:
(A)
1/s+a

(B)
1/s
(C)
1/s-a
(D)
None of these
Answer:(C)
66
The Laplace transform of t3 $\delta(t-4)$ is :
(A)
43 e–4s
(B)
34 e3s
(C)
e4s 32
(D)
None of these
Answer:(A)
67
L[f '(t)] is :
(A)
SL[f(t)] - f(0)

(B)
F(s)
(C)
S L[f(t)]
(D)
None of these
Answer:(A)
68
L [et] is:
(A)
1/s-log2
(B)
1/s+log2
(C)
1/s+2
(D)
None of these
Answer:(A)
69
What is model testing?
(A)
Overall testing



(B)
Conservation of volume
(C)
Conservation of linear momentum
(D)
Conservation of mass
Answer:(C)
72
When a fluid is subjected to resistance, it undergoes a volumetric change due to
(A)
Cohesion
(B)
Strain
(C)
Compressibility
(D)
Adhesion
Answer:(C)
73
The compressible flow is assumed to be
(A)
Adiabatic only

(B)
Isentropic only
(C)
Isentropic and adiabatic
(D)
Polytropic
Answer:(B)
74
Principle of fluid mechanics works on the utilization of
(A)
Velocity
(B)
Accelerating mass
(C)
Volume
(D)
Work
Answer:(D)
75
Open channel flow takes place
(A)
In a pump

(B)
Within a cylindrical depth
(C)
On a free surface
(D)
In the pipe
Answer:(C)
76
Which of the following is a type of fluid based on viscosity?
(A)
Real Fluid
(B)
Ideal Fluid
(C)
Newtonian Fluid
(D)
All of the mentioned
Answer:(D)
77
The viscous force the relative motion between the adjacent layers of a fluid in motion. Which of the
following flowing fits best in the sentence?

(A)
never affects
(B)
may effect under certain conditions
(C)
facilitates
(D)
opposes
Answer:(D)
78
Pressure intensity or force due to pressure gradient for fluid at rest is considered as which of the
following kind of force?
(A)
Body force
(B)
Force due to motion
(C)
Surface force
(D)
None of the mentioned
Answer:(C)

79
Pressure variation for compressible fluid is maximum for which of the following kind of process?
(A)
Adiabatic
(B)
Quasi Static
(C)
Isothermal
(D)
None of the mentioned
Answer:(C)
80
Which of the following principle is used for calculating the centre of pressure?
(A)
Principle of balancing of momentum
(B)
Principle of momentum
(C)
Principle of conservation of energy
(D)
None of the mentioned
Answer:(A)

A 25 mm diameter egg roll (k = 1 W/m degree) is roasted with the help of microwave heating. For good quality roasting, it is desired that temperature at the center of roll is maintained at 100 degree Celsius when the surrounding temperature is 25 degree Celsius. What should be the heating capacity in W/m³ of the microwave if the heat transfer coefficient on the surface of egg roll is 20 W/m² degree?

(A)

613.31 k W/m³

(B)

93.31 k W/m³

(C)

6713.31 k W/m³

(D)

213.31 k W/m³

Answer:(D)

82


The rate of heat transfer for a plane wall of homogenous material with constant thermal conductivity is given by which of the following equation?

(A)

 $Q = 2k/\delta x$

(B)

 $Q = 2kA\delta x$



(A) 124.23% (B) 100.00% (C) 12.55% (D) 134.46% Answer:(D) 85 A heating unit is made in the form of a vertical tube of 50 mm outside diameter and 1.2 m height. The tube is fitted with 20 steel fins of rectangular section with height 40 mm and thickness 2.5 mm. The temperature at the base of fin is 75 degree Celsius, the surrounding air temperature is 20 degree Celsius and the heat transfer coefficient between the fin as well as the tube surface and the surrounding air is 9.5 W/m² K. If thermal conductivity of the fin material is 55 W/m K, find the amount of heat transferred from the tube without fin (A) 118.44 W (B) 98.44 W

(C)

8.44 W (D) 908.44 W Answer:(B) 86 What is the rate of heat transfer from the fin in case of fin insulated at the tip? (A) (h P k)1/2 (t 0 – t a) tan h ml (B) (h P A)1/2 (t 0 – t a) tan h ml (C) (h P k A)1/2 (t 0 – t a) tan h ml (D) (h k A)1/2 (t 0 - t a) tan h ml

Fewer but thin fins

"Consider the following statements pertaining to heat transfer through fins	
(i) They must be arranged at right angles to the direction of flow of working fluid	
(ii) The temperature along the fin is variable and accordingly heat transfer rate varies along the fin	
elements	
(iii) Fins are equally effective irrespective whether they are on the hot side or cold side of the fluid	
(iv) Fins are made of materials that have thermal conductivity higher than that of wall	
Identify the correct statements"	
(A)	
i and ii	
(B)	
iii and iv	
(C)	
i and iv	
(D)	
ii and iii	
Answer:(A)	
88	
In which of the following cases provision of fins on a given heat transfer surface will be more effective?	
(A)	

(B)

Large number of thin fins

(C)

Large number of thick fins

(D)

Fewer but thick fins

Answer:(B)

89

What are the relevant boundary conditions in case of heat transfer from a bar connected to two heat sources at different temperatures?

(A)

$$\alpha = \alpha$$
 1 at x = 1 and $\alpha = \alpha$ 2 at x = 2L

(B)

 α = α 1 at x = 0 and α = α 2 at x = infinity

(C)

 $\alpha = \alpha 1$ at x = 0 and $\alpha = \alpha 2$ at x = L

(D)

 $\alpha = \alpha 1$ at x = infinity and $\alpha = \alpha 2$ at x = 1

Radiation heat transfer is characterized by
(A)
Movement of discrete packets of energy as electromagnetic waves
(B)
Due to bulk fluid motion, there is a transport of energy
(C)
There is the circulation of fluid by buoyancy effects
(D)
Thermal energy transfer as vibrational energy in the lattice structure of the material
Answer:(A)
91
A thin metal plate of 4 cm diameter is suspended in atmospheric air whose temperature is 290 K. This
plate attains a temperature of 295 K when one of its faces receives radiant energy from a heat source at
the rate of 2 W. If heat transfer coefficient on both surfaces of the plate is stated to be 87.5 W/m ² K,
workout the reflectivity of the plate.
(A)
0.15
(B)
(B) 0.55
0.55
0.55 (C)

Decreases

(C)

Answer:(D)
92
Measurement of pressure in ammonia reactor is done by
(A)
Bourdon gauge
(B)
U-tube manometer
(C)
Inclined tube manometer
(D)
Pirani guage
Answer:(A)
93
With increase in temperature, the electrical conductivity of the platinum used in the resistance
thermometer
(A)
Increases
(B)

Remains constant
(D)
Increases exponentially
Answer:(B)
94
Normal mercury thermometer can be used to measure a temperature of about 300°C. However, its
maximum temperature measurement range can be increased upto about 500°C by
(A)
Filling nitrogen under pressure in the stem
(B)
Increasing the diameter of the tube
(C)
Using steel tube in place of glass tube
(D)
Accounting for the tube expansion
Answer:(A)
95
An emf of the order of mV is generated when two solutions of different hydrogen ion concentration are
separated by a thin glass wall. This is the working principle of a


(A)

PH meter	
(B)	
Polarimeter	
(C)	
Chromatograph	
(D)	
Polarograph	
Answer:(A)	
96	
A negative gain margin expressed in decibels means a/an	system.
(A)	
Stable	
(B)	
Unstable	
(C)	
Critically damped	
(D)	
None of these	
Answer:(B)	
97	
Strain gage pressure transducers are used to measure	_ pressures.
(A)	

Gage as well as vacuum
(B)
Absolute as well as differential
(C)
Gage as well as vacuum & Absolute as well as differential
(D)
None
Answer:(C)
98
Pressure of 0.0001 absolute psi can be measured by gauge.
(A)
Mcloid
(B)
Pirani
(C)
Thermocouple
(D)
None of these
Answer:(A)
99
Pressure of 0.01 psi (absolute) can be measured by gauge.
(A)

Ionization
(B)
Pirani
(C)
Mcloid
(D)
None of these
Answer:(C)
100
Dome temperature of blast furnace stove is most accurately measured by a
(A)
Radiation pyrometer
(B)
Platinum-platinum/rhodium thermocouple
(C)
Iron-constantan thermocouple
(D)
Platinum resistance thermometer
Answer:(B)
101
Humidity of air can be determined by a
(A)

Chromatograph
(B)
Sling psychrometer
(C)
Mass spectrometer
(D)
Polarimeter
Answer:(B)
102
Thermodynamic Celsius scale of temperature measurement is
(A)
Defined on the basis of melting point of ice and evaporation temperature of water vapor
(B)
Defined on the basis of melting point of ice and condensation temperature of water vapor
(C)
Having an interval of 100° between ice point to steam point
(D)
Defined on the basis of melting point of ice and condensation temperature of water vapor & Having ar
interval of 100° between ice point to steam point
Answer:(D)




NTU

(D)

None of these
Answer:(B)
107
Powdery materials can be guarded against caking tendency on storage by
(A)
Providing irregular grain size
(B)
Providing minimum percentage of voids
(C)
Having maximum possible points of contact
(D)
None of these
Answer:(D)
108
Measurement of the interfacial area of mass transfer is achieved easily & accurately in case of a
coloumn.
(A)
Spray
(B)
Packed
(C)

Bubble cap plate
(D)
Wetted wall
Answer:(D)
109
The equilibrium liquid composition compared to the vapor composition in case of azeotropic mixture is
(A)
More
(B)
Less
(C)
Same
(D)
Either more or less; depends on the system
Answer:(C)
110
When the gas to be dissolved in liquid is a/an then normally co-current adsorber are used.
(A)
Mixture of two gases
(B)
Pure gas
(C)



Decrease in liquid hold up in the coloumn
(D)
Increase in pressure drop
Answer:(D)
113
With increase in the liquid flow rate at a fixed gas velocity in a randomly packed counter current gas-
liquid absorption column, the gas pressure drop
(A)
Decreases
(B)
Remains unchanged
(C)
Increases
(D)
Decreases exponentially
Answer:(C)
114
Thickness of the frame of a plate and frame filter as compared to that of plates is
(A)
Less

(B)
Same
(C)
More
(D)
Same or Less
Answer:(C)
115
For couplings and unions would be
(A)
60
(B)
200
350
(D)
Negligible
Answer:(D)
116
In case of a 'thin' pressure vessel, the ratio of its diameter to wall thickness is
(A)
< 10

(B)
> 10
(C)
> 20
(D)
30
Answer:(B)
117
A pressure vessel is said to be made of 'thick' shell, if the ratio of its diameter to wall thickness is
(A)
10
(B)
40
(C)
20
(D)
30
Answer:(A)
118
Liquid redistribution should be done in a packed tower packed with 64aschig rings every 6 metres or
times the column diameter, whichever is lower.

(A)
2.5-3.0
(B)
5-7.5
(C)
10-12.5
(D)
15-20
Answer:(A)
119
Shortest distance between two tubes is
(A)
Called tube pitch
(B)
Called tube clearance
(C)
More in case of triangular pitch as compared to square pitch of tube layout
(D)
None of these
Answer:(B)
120
A rivetted joint does not fail by of rivets.

(A)
Tearing
(B)
Shearing
(C)
Tearing of the plate across a row
(D)
None of these
Answer:(D)
121
dished head is the strongest of all.
(A)
Hemispherical
(B)
Elliptical
(C)
Tori spherical
(D)
None of these
Answer:(A)

122

Value of Peclet number = ∞ , is the representative of


(A)
Laminar flow
(B)
Complete back mixing
(C)
Plug flow
(D)
Eddy diffusivity = 0
Answer:(C)
123
For identical operating conditions, the pressure drop over tray is the highest out of the
following.
(A)
(A) Sieve
Sieve
Sieve (B)
Sieve (B) Valve
Sieve (B) Valve (C)
Sieve (B) Valve (C) Counterflow


124
Rate of filtrate delivery is inversely proportional to the
(A)
Filtering area & the pressure difference driving force
(B)
Viscosity of filtrate
(C)
Cake & filter medium resistance
(D)
Filtering area & the pressure difference driving force & Viscosity of filtrate
Answer:(D)
125
125 At 100°C, a sealed rigid vessel with a volume of 1 $\rm m^3$ and 2 kg of water has a volume of 1 $\rm m^3$. The vessel
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel has now been warmed up. What pressure should a safety pressure valve be adjusted to achieve a
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel has now been warmed up. What pressure should a safety pressure valve be adjusted to achieve a
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel has now been warmed up. What pressure should a safety pressure valve be adjusted to achieve a maximum temperature of 200°C if one is installed?
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel has now been warmed up. What pressure should a safety pressure valve be adjusted to achieve a maximum temperature of 200°C if one is installed? (A)
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel has now been warmed up. What pressure should a safety pressure valve be adjusted to achieve a maximum temperature of 200°C if one is installed? (A) 431.3 kPa
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel has now been warmed up. What pressure should a safety pressure valve be adjusted to achieve a maximum temperature of 200°C if one is installed? (A) 431.3 kPa (B)
At 100°C, a sealed rigid vessel with a volume of 1 m³ and 2 kg of water has a volume of 1 m³. The vessel has now been warmed up. What pressure should a safety pressure valve be adjusted to achieve a maximum temperature of 200°C if one is installed? (A) 431.3 kPa (B) 231.3 kPa

131.3 kPa
Answer:(A)

(C)

126
When the diver is 8 meters below the surface, the pressure gauge on his air tank reads 60 kPa. The
gauge pressure will be 0 at what depth?
(A)
44.118 m
(B)
24.118 m
(C)
34.118 m
(D)
None of the mentioned
Answer:(B)
127
Which of the following is chosen as the standard thermometric substance?
(A)
Liquid
(B)
Solid





(A)

3600 Kj
(B)
2400 Kj
(C)
4800 Kj
(D)
none of the mentioned
Answer:(A)
132
At 15°C, a steel pot with a 5 mm thick bottom is filled with liquid water (conductivity 50 W/m K). The pot
has a 10 cm radius and is now placed on a stove with a heat transmission of 250 W. Calculate the
temperature on the bottom of the outer pot assuming the inner surface is 15°C.
(A)
15.8°C
(B)
16.8°C
(C)
18.8°C
(D)
19.8°C
Answer:(A)

Heat flow into a system is, and heat flow out of the system is
(A)
positive, positive
(B)
negative, negative
(C)
negative, positive
(D)
positive, negative
Answer:(D)
134
What does (m*g*z) give?
(A)
macroscopic kinetic energy
(B)
microscopic kinetic energy
(C)
macroscopic potential energy
(D)
microscopic potential energy
Answer:(C)

135
The enthalpy and internal energy are the function of temperature for
(A)
all gases
(B)
steam
(C)
water
(D)
ideal gas
Answer:(D)
136
Fill in the blanks
He and she watching a movie now.
A.
do
b.
is

c.

are

D.
were
Answer:(C)
137
Fill in the blanks
He didn't wait even minutes but started a lecture.
A.
few
В.
a few
C.
little
D.
a little
Answer:(A)
138
Fill in the blanks
He divided his property his two sons.

A.
among
В.
in
C.
between
D.
in
Answer:(C)
139
Fill in the blanks
He is very weak. He more.
Α.
can walk
В.
can be not walked
C.
cannot walk
D.
can't

Fill in the blanks
He or she watching a movie now.
A.
is
В.
are
C.
does
D.
has
Answer:(A)
141
Fill in the blanks
He reminds us Paul Walker.
A.
about
В.

of
C.
for
D.
with
Answer:(B)
142
Fill in the blanks
How you solve this puzzle?
Α.
can solved
В.
can be solved
C.
do solved
D.
can solve
Answer:(D)

Fill in the blanks
How many friends she ?
A.
do have
В.
does has
C.
does have
D.
are has
Answer:(C)
144
Fill in the blanks
How many kites in the sky now ?
Α.
are fly
В.
flying
C.
are flying

D.
have
Answer:(C)
145
Fill in the blanks
Ialways capital.
A.
am
В.
is
C.
has
D.
do
Answer:(B)
146
synonym of Tentative
(A)
mocking
(B)

wry
(C)
experimental
(D)
prevalent
Answer:(C)
147
synonym of Tenacity
(A)
ingratitude
(B)
decimation
(C)
splendor
(D)
perseverance
Answer:(D)
148
synonym of Replenish
(A)
reinstall
(B)

refill
(C)
refuse
(D)
polish
Answer:(B)
149.
Antonym of Full
a)
Tranquil
b)
Unimportant
c)
hidden
d)
Empty
Answer:(D)
150
Antonym of Yesteryear
a)
Host
b)

Foundling

c)

Modern

d)

Repercussion